

# tier<sup>TM</sup>

*Fabulous, functional, forever.*

MATERIAL SAFETY DATA SHEET 2022



A PRODUCT BY **EVA-LAST**<sup>®</sup>  
INSPIRED BY NATURE, DESIGNED FOR LIFE.

[www.tierflooring.com](http://www.tierflooring.com)

## Safety Data Sheet (SDS) Report

Applicant: Anhui Sentai WPC Tec FlooringCo., Ltd.  
Jianshe Road, Economic and Technology Development Area of Guangde  
County, 242237, Anhui Province, China.

**SDS number: 180523002SHF-BP**

Issue Date: 2018-05-31

### Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)  
Physical State : Solid  
Data Received : May 23, 2018  
Data Reviewed : May 31, 2018

---

### Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of OSHA HazCom Standard (2012), for details please refer to attached pages.

---

### Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai



Anna Wang  
Regulatory Consultant

This report shall not be reproduced except in full, without the written approval of the laboratory.

**Intertek Health, Environmental & Regulatory Services (HERS)**  
5<sup>th</sup> Floor, Building No.86, 1198 QinZhou Road(North), Cao Hejing Development  
Zone, ShangHai, China.

Tel: +86 021 53397917 ZIP: 200233

E-mail: hers@intertek.com

---

# Safety Data Sheet

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Anhui Sentai WPC Tec FlooringCo., Ltd.

SDS number: 180523002SHF-BP

Version No:1.0

Issue Date:31/05/2018

According to OSHA HazCom Standard (2012) requirements

GHS.U.S.A.EN

### SECTION 1 IDENTIFICATION

#### Product Identifier

Product name	RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)
Other means of identification	Not Available

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	decorative material
--------------------------	---------------------

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Supplier name	Anhui Sentai WPC Tec FlooringCo., Ltd.
Address	Jianshe Road, Economic and Technoloy Develoment Area of Guangde County, 242237,Anhui Province, China.
Telephone	0086-13951586916
Emergency telephone	0086-13951586916
Email	luffy@sentaigroup.com
Importer name	
Address	
Telephone	
Email	

#### Emergency phone number

Association / Organisation	
Emergency telephone numbers	

### SECTION 2 HAZARD(S) IDENTIFICATION

#### Classification of the substance or mixture

Not considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

Classification	Not Classified
----------------	----------------

#### Label elements

Hazard pictogram(s)	Not Applicable
---------------------	----------------

SIGNAL WORD	NOT APPLICABLE
-------------	----------------

#### Hazard statement(s)

Not Applicable

#### Hazard(s) not otherwise specified

Not Applicable

#### Supplementary statement(s)

Not Applicable

#### Precautionary statement(s) Prevention

Not Applicable

#### Precautionary statement(s) Response

Not Applicable

#### Precautionary statement(s) Storage

Not Applicable

#### Precautionary statement(s) Disposal

Not Applicable

Continued...

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
471-34-1	72.02	Calcium carbonate
9002-86-2	24.97	polyvinyl chloride
1592-23-0	1.6	calcium stearate
557-05-1		zinc stearate
9002-88-4		polyethylene
2082-79-3		Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate
471-34-1		Calcium carbonate
1214-39-7	0.64	benzylaminopurine
9002-88-4	0.45	polyethylene
25852-37-3	0.16	methyl methacrylate/ butyl acrylate copolymer
64754-90-1		polyethylene chlorinated
25053-09-2		styrene/ butadiene/ methyl methacrylate copolymer
557-05-1	0.13	zinc stearate
115-77-5		pentaerythritol
22610-63-5		(±)-2,3-dihydroxypropyl stearate
1333-86-4	0.03	Carbon balck

### SECTION 4 FIRST-AID MEASURES

#### Description of first aid measures

<b>Eye Contact</b>	<p>If this product comes in contact with eyes:</p> <ul style="list-style-type: none"> <li>▶ Wash out immediately with water.</li> <li>▶ If irritation continues, seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
<b>Skin Contact</b>	<p>If skin contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Immediately remove all contaminated clothing, including footwear.</li> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>▶ Other measures are usually unnecessary.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>▶ Immediately give a glass of water.</li> <li>▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### Most important symptoms and effects, both acute and delayed

See Section 11

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5 FIRE-FIGHTING MEASURES

#### Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

<b>Fire Incompatibility</b>	None known.
-----------------------------	-------------

#### Special protective equipment and precautions for fire-fighters

<b>Fire Fighting</b>	<ul style="list-style-type: none"> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves in the event of a fire.</li> </ul>
<b>Fire/Explosion Hazard</b>	<ul style="list-style-type: none"> <li>▶ Non combustible.</li> <li>▶ Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.</li> </ul>

### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

See section 8

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

<b>Minor Spills</b>	<ul style="list-style-type: none"> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid breathing dust and contact with skin and eyes.</li> </ul>
<b>Major Spills</b>	▶ <b>CAUTION:</b> Advise personnel in area.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 HANDLING AND STORAGE

### Precautions for safe handling

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>▶ Limit all unnecessary personal contact.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>▶ Store in original containers.</li> <li>▶ Keep containers securely sealed.</li> </ul>

### Conditions for safe storage, including any incompatibilities

<b>Suitable container</b>	▶ Carton
<b>Storage incompatibility</b>	None known

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	Calcium carbonate	Calcium salt of carbonic acid [Note: Occurs in nature as as limestone, chalk, marble, dolomite, aragonite, calcite and oyster shells.]	10 (total), 5 (resp) mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	polyvinyl chloride	Polyvinyl chloride	1 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: Pneumoconiosis; LRT irr; pulm func changes
US ACGIH Threshold Limit Values (TLV)	calcium stearate	* Stearates(J)	10; 3 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: LRT irr
US NIOSH Recommended Exposure Limits (RELs)	zinc stearate	Dibasic zinc stearate, Zinc salt of stearic acid, Zinc distearate	10 (total), 5 (resp) mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	zinc stearate	* Stearates(J)	10; 3 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: LRT irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc stearate	Zinc stearate: Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc stearate	Zinc stearate: Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	Particulates not otherwise regulated (PNOR): Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	(f) All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
US OSHA Permissible Exposure Levels (PELs) - Table Z1	styrene/ butadiene/ methyl methacrylate copolymer	Particulates not otherwise regulated (PNOR): Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	(f) All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
US NIOSH Recommended Exposure Limits (RELs)	pentaerythritol	2,2-bis(Hydroxymethyl)-1,3-propanediol; Methane tetramethylol; Monopentaerythritol; PE; Tetrahydroxymethylolmethane; Tetramethylolmethane	10 (total), 5 (resp) mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	pentaerythritol	Pentaerythritol	10 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: GI irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	pentaerythritol	Pentaerythritol: Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available

Continued...

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

US OSHA Permissible Exposure Levels (PELs) - Table Z1	pentaerythritol	Pentaerythritol: Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	Carbon balck	Acetylene black, Channell black, Furnace black, Lamp black, Thermal black	3.5 mg/m <sup>3</sup>	Not Available	Not Available	Ca See Appendix A See Appendix C
US ACGIH Threshold Limit Values (TLV)	Carbon balck	Carbon black	3 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: Bronchitis
US OSHA Permissible Exposure Levels (PELs) - Table Z1	Carbon balck	Carbon black	3.5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	(±)-2,3-dihydroxypropyl stearate	* Stearates(J)	10; 3 mg/m <sup>3</sup>	Not Available	Not Available	TLV® Basis: LRT irr


## EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Calcium carbonate	Carbonic acid, calcium salt	45 mg/m <sup>3</sup>	210 mg/m <sup>3</sup>	1,300 mg/m <sup>3</sup>
polyvinyl chloride	Polyvinyl chloride	3 mg/m <sup>3</sup>	33 mg/m <sup>3</sup>	200 mg/m <sup>3</sup>
zinc stearate	Zinc stearate	30 mg/m <sup>3</sup>	330 mg/m <sup>3</sup>	2,000 mg/m <sup>3</sup>
benzylaminopurine	Benzyl aminopurine, 6-; (6-Benzyladenine)	3.5 mg/m <sup>3</sup>	38 mg/m <sup>3</sup>	230 mg/m <sup>3</sup>
polyethylene	Polyethylene	28 mg/m <sup>3</sup>	310 mg/m <sup>3</sup>	1,000 mg/m <sup>3</sup>
pentaerythritol	Pentaerythritol	30 mg/m <sup>3</sup>	90 mg/m <sup>3</sup>	540 mg/m <sup>3</sup>
Carbon balck	Carbon black	9 mg/m <sup>3</sup>	99 mg/m <sup>3</sup>	590 mg/m <sup>3</sup>

Ingredient	Original IDLH	Revised IDLH
Carbon balck	1750 mg/m <sup>3</sup>	Not Available

## Exposure controls

<b>Appropriate engineering controls</b>	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
<b>Personal protection</b>	
<b>Eye and face protection</b>	<ul style="list-style-type: none"> <li>▶ Safety glasses with side shields.</li> <li>▶ Chemical goggles.</li> </ul>
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	<p><b>NOTE:</b></p> <ul style="list-style-type: none"> <li>▶ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.</li> </ul> <p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.</p> <ul style="list-style-type: none"> <li>▶ polychloroprene.</li> </ul>
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	<ul style="list-style-type: none"> <li>▶ Overalls.</li> <li>▶ P.V.C.</li> </ul>

## Respiratory protection

- ▶ Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- ▶ The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

<b>Appearance</b>	Solid		
<b>Physical state</b>	Solid	<b>Relative density (Water = 1)</b>	Not Available
<b>Odour</b>	Not Available	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Available
<b>pH (as supplied)</b>	Not Available	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Viscosity (cSt)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Available	<b>Molecular weight (g/mol)</b>	Not Available
<b>Flash point (°C)</b>	Not Available	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available

Continued...

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

<b>Flammability</b>	Not Flammable	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Available	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Applicable
<b>Lower Explosive Limit (%)</b>	Not Available	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	Not Available	<b>pH as a solution (1%)</b>	Not Available
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	Product is considered stable and hazardous polymerisation will not occur.
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

## Information on toxicological effects

<b>Acute Toxicity</b>	Calcium carbonate
	Oral (rat) LD50: 6450 mg/kg <sup>[2]</sup>
	zinc stearate
	Oral (rat) LD50: 10000 mg/kg <sup>[2]</sup>
	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate
	dermal (rat) LD50: >2000 mg/kg <sup>[2]</sup>
	Oral (rat) LD50: >10000 mg/kg <sup>[2]</sup>
	benzylaminopurine
	Dermal (rabbit) LD50: >5000 mg/kg <sup>[2]</sup>
	Inhalation (rat) LC50: 5.2 mg/l/4H <sup>[2]</sup>
	Oral (rat) LD50: 2125 mg/kg <sup>[2]</sup>
	polyethylene
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>
	Oral (rat) LD50: >3000 mg/kg <sup>[2]</sup>
	methyl methacrylate/ butyl acrylate copolymer
	dermal (rat) LD50: >5000 mg/kg <sup>[2]</sup>
	Oral (rat) LD50: >5000 mg/kg <sup>[2]</sup>
	polyethylene chlorinated
	dermal (rat) LD50: 2000 mg/kg <sup>[2]</sup>
	Oral (rat) LD50: 5000 mg/kg <sup>[2]</sup>
styrene/ butadiene/ methyl methacrylate copolymer	
Oral (rat) LD50: 5000 mg/kg <sup>[2]</sup>	
pentaerythritol	
Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	
Carbon balck	
Dermal (rabbit) LD50: >3000 mg/kg <sup>[2]</sup>	
Oral (rat) LD50: >10000 mg/kg <sup>[1]</sup>	

Continued...

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

<b>Skin corrosion/irritation</b>	No skin irritation	
<b>Serious eye damage/irritation</b>	No eye irritation	
<b>Respiratory or skin sensitisation</b>	No data available	
<b>Germ cell mutagenicity</b>	No data available	
<b>Carcinogenicity</b>	Chemical name	IARC
	polyethylene	Group 3
	polyethylene chlorinated	Group 3
	Carbon black	2B
<b>Reproductive toxicity</b>	No data available	
<b>STOT-single exposure</b>	No data available	
<b>STOT-repeated exposure</b>	No data available	
<b>Aspiration hazard</b>	No data available	
<b>Legend:</b>	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances	

## SECTION 12 ECOLOGICAL INFORMATION

## Toxicity

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
		Not Available	Not Available	Not Available	Not Available
Calcium carbonate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>56000mg/L	4
	EC50	72	Algae or other aquatic plants	>14mg/L	2
	NOEC	72	Algae or other aquatic plants	14mg/L	2
zinc stearate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.439mg/L	2
	EC50	48	Crustacea	0.413mg/L	2
	NOEC	720	Fish	0.172mg/L	2
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=50mg/L	1
	EC50	72	Algae or other aquatic plants	>30mg/L	1
	NOEC	72	Algae or other aquatic plants	30mg/L	1
benzylaminopurine	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	21.4mg/L	4
	EC50	48	Crustacea	20.5mg/L	4
pentaerythritol	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	EC50	48	Crustacea	33600mg/L	4
	NOEC	336	Algae or other aquatic plants	>=5000mg/L	1
Carbon black	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=1000mg/L	1
	NOEC	96	Fish	=1000mg/L	1

**Legend:** Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

## Persistence and degradability

Continued...



## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Ingredient	Persistence: Water/Soil	Persistence: Air
polyvinyl chloride	LOW	LOW
zinc stearate	LOW	LOW
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	HIGH	HIGH
benzylaminopurine	HIGH	HIGH
polyethylene	LOW	LOW
pentaerythritol	LOW	LOW

### Bioaccumulative potential

Ingredient	Bioaccumulation
polyvinyl chloride	LOW (LogKOW = 1.6233)
zinc stearate	LOW (LogKOW = 7.9444)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	LOW (BCF = 12)
benzylaminopurine	LOW (LogKOW = 1.57)
polyethylene	LOW (LogKOW = 1.2658)
pentaerythritol	LOW (BCF = 0.6)

### Mobility in soil

Ingredient	Mobility
polyvinyl chloride	LOW (KOC = 23.74)
zinc stearate	LOW (KOC = 11670)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	LOW (KOC = 734400000)
benzylaminopurine	LOW (KOC = 1130)
polyethylene	LOW (KOC = 14.3)
pentaerythritol	HIGH (KOC = 1)

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

<b>Product / Packaging disposal</b>	<ul style="list-style-type: none"> <li>▶ Containers may still present a chemical hazard/ danger when empty.</li> <li>▶ Return to supplier for reuse/ recycling if possible.</li> <li>▶ Recycle wherever possible or consult manufacturer for recycling options.</li> <li>▶ Consult State Land Waste Management Authority for disposal.</li> </ul>
-------------------------------------	---

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

<b>Marine Pollutant</b>	NO
-------------------------	----

**Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Transport in bulk according to Annex II of MARPOL and the IBC code**

Not Applicable

## SECTION 15 REGULATORY INFORMATION

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### CALCIUM CARBONATE(471-34-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US NIOSH Recommended Exposure Limits (RELs)	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory	

#### POLYVINYL CHLORIDE(9002-86-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Hawaii Air Contaminant Limits	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US ACGIH Threshold Limit Values (TLV)	US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### CALCIUM STEARATE(1592-23-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Continued...

## RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

US - California Permissible Exposure Limits for Chemical Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US ACGIH Threshold Limit Values (TLV)	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US ACGIH Threshold Limit Values (TLV) - Carcinogens	
<b>ZINC STEARATE(557-05-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - Alaska Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US ACGIH Threshold Limit Values (TLV)
US - Idaho - Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Massachusetts - Right To Know Listed Chemicals	US CWA (Clean Water Act) - Priority Pollutants
US - Michigan Exposure Limits for Air Contaminants	US CWA (Clean Water Act) - Toxic Pollutants
US - Minnesota Permissible Exposure Limits (PELs)	US EPA Carcinogens Listing
US - Oregon Permissible Exposure Limits (Z-1)	US EPCRA Section 313 Chemical List
US - Pennsylvania - Hazardous Substance List	US NIOSH Recommended Exposure Limits (RELs)
US - Rhode Island Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants	
<b>OCTADECYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE(2082-79-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)	US - Washington Permissible exposure limits of air contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Michigan Exposure Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Oregon Permissible Exposure Limits (Z-1)	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	
<b>BENZYLAMINOPURINE(1214-39-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
<b>POLYETHYLENE(9002-88-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory	
<b>METHYL METHACRYLATE/ BUTYL ACRYLATE COPOLYMER(25852-37-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - Michigan Exposure Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants	US TSCA Chemical Substance Inventory - Interim List of Active Substances
<b>POLYETHYLENE CHLORINATED(64754-90-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - Michigan Exposure Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule	
<b>STYRENE/ BUTADIENE/ METHYL METHACRYLATE COPOLYMER(25053-09-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)	US - Washington Permissible exposure limits of air contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule
US - Michigan Exposure Limits for Air Contaminants	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Oregon Permissible Exposure Limits (Z-1)	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	
<b>PENTAERYTHRITOL(115-77-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	
US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Idaho - Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - Massachusetts - Right To Know Listed Chemicals	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Michigan Exposure Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - Oregon Permissible Exposure Limits (Z-1)	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Pennsylvania - Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Rhode Island Hazardous Substance List	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	
<b>CARBON BALCK(1333-86-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS</b>	

**RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Rhode Island Hazardous Substance List
US - Alaska Limits for Air Contaminants	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - California Proposition 65 - Carcinogens	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants
US - Idaho - Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV)
US - Michigan Exposure Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Oregon Permissible Exposure Limits (Z-1)	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Pennsylvania - Hazardous Substance List	US TSCA Chemical Substance Inventory - Interim List of Active Substances

**(±)-2,3-DIHYDROXYPROPYL STEARATE(22610-63-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US ACGIH Threshold Limit Values (TLV)	US ACGIH Threshold Limit Values (TLV) - Carcinogens
---------------------------------------	---

**Federal Regulations****Superfund Amendments and Reauthorization Act of 1986 (SARA)****SECTION 311/312 HAZARD CATEGORIES**

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No

**US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)**

None Reported

**State Regulations****US. CALIFORNIA PROPOSITION 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

**US - CALIFORNIA PROPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE**

Carbon black (airborne, unbound particles of respirable size) Listed

**SECTION 16 OTHER INFORMATION****Other information**

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

**Definitions and abbreviations**

PC— TWA: Permissible Concentration-Time Weighted Average  
 PC— STEL: Permissible Concentration-Short Term Exposure Limit  
 IARC: International Agency for Research on Cancer  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 STEL: Short Term Exposure Limit

Continued...

**RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)**

TEEL: Temporary Emergency Exposure Limit,  
IDLH: Immediately Dangerous to Life or Health Concentrations  
OSF: Odour Safety Factor  
NOAEL :No Observed Adverse Effect Level  
LOAEL: Lowest Observed Adverse Effect Level  
TLV: Threshold Limit Value  
LOD: Limit Of Detection  
OTV: Odour Threshold Value  
BCF: BioConcentration Factors  
BEI: Biological Exposure Index



## OTHER INFORMATION

### Document disclaimer

The provided information is offered in good faith as accurate, but without guarantee, Eva-Last® makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency or completeness of the information, or that it is suitable for the intended use. Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor. Appropriate warnings and safe handling procedures should be provided to handlers and users. While most data has been compiled from research, case histories, experience and testing, small changes in environment can produce marked differences in performance. The decision to use a material, and in what manner, is made at your own risk. The use of a material and method may therefore need to be modified to its intended end use and environment. Eva-Last®, its directors, officers or employees shall not be responsible for any direct, indirect or special loss or damage arising from, or as a consequence of, use of, or reliance upon, any information contained in this document or other documents referenced herein. Eva-Last® expressly disclaims any liability which is based on, or arises out of, the information or any errors, omissions or misstatements herein.

### Utilisation disclaimer

Legislation may differ between jurisdictions. Before installing any Eva-Last® product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional. Be sure to comply with material manufacturer specifications. Where manufacturers and building codes differ, revert to the building code requirements. Check that your choice of product is suitable for its intended application. For further product specification and information visit [www.eva-last.com](http://www.eva-last.com)

### Copyright

If reprinted or reproduced or utilised in any form Eva-Last® should be acknowledged as the source of the information.

Eva-Last® periodically updates the information contained in this document and that of the Eva-Last® documents that have been referenced herein. Before using this document, please refer to the Eva-Last® website ([www.eva-last.com](http://www.eva-last.com)) for the most up to date documents. Please refer to the applicable websites for the most recent updates on information contained herein pertaining to other sources.