


eva-last®

INSPIRED BY NATURE, DESIGNED FOR LIFE.



FSC™ BAMBOO COMPOSITE DECKING, CLADDING & RAILING



www.eva-last.co.uk



BSW
Timber Solutions

BSWGROUP member of binderholz



A BRAND YOU CAN TRUST

Eva-Last is a globally reputable brand that utilises a solution driven business model to create innovative, sustainable building materials and systems that add value to customers' lives. At the heart of Eva-Last is a team of highly capable, creative specialists united by a passion to promote environmental consciousness through eco-friendly building products and operations. By embracing low environmental impact manufacturing and cutting-edge composite technology, Eva-Last is revolutionising how building can be done. We design and deliver beautiful, long-lasting green alternatives that make our customers' lives easier, healthier, and just plain better.

THE HASSLE-FREE ALTERNATIVE TO WOOD

Eva-Last composite offers the beauty of timber, but in a hassle-free, durable option that's longer lasting, virtually maintenance free, and eco-friendly. Cutting-edge engineering is bringing even greater structural advancements and lifestyle benefits to composite, and thoughtful detail to aesthetics now gives it an even more natural appearance in an expanded range of products, colours, and textures.

PRODUCT CATEGORIES



DECKING | CLADDING | RAILING | FASTENERS | INDOOR FLOORING

Eva-Last technologies create endless possibilities for the design and overall function of your outdoor space. Visit our website, www.eva-last.co.uk, for inspiration and find out more about which composite product will suit your needs best.



Featured: **Infinity IS, Tiger Cove**
Single sided grooved and square edge decking



LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials

When you choose Eva-Last, you're choosing the best solution for both you and the environment. Eva-Last products are the low-maintenance, reliable alternative to wood that consistently outperform timber and other composite materials. They're also the environmentally friendly material choice that is gentler on the Earth.



BAMBOO WASTES LESS & PROVIDES MORE

Eva-Last uses bamboo in its composite production. Bamboo can grow up to 50 times faster than timber and releases 35 percent more oxygen into our air than most hardwood trees. It can be made into composite with only 2 percent wastage (compared to over 80 percent wastage with timber), and is naturally antibacterial.



USE OF RECYCLED PLASTIC

By using recycled waste plastics, in combination with easily replenishable bamboo fibre, we are able to produce a highly durable composite product while saving millions of tons of plastic from entering landfills and oceans. Every year Eva-Last recycles over 26000 tons of plastic. Recycling one ton of plastic results in carbon dioxide savings of approximately 0.73 tons – the same as travelling 4 000 km in a car.



USE OF SOLAR POWER IN THE MANUFACTURING PROCESS

Traditional manufacturing is an energy-intensive endeavour. That's why Eva-Last took the decision to start moving towards manufacturing using solar energy. Since 2017, 32 858 solar panels, or 88 716 m² of solar panels, have been installed. This leads to a saving of 2 000 tons of CO₂, every single day.

Eva-Last has been at the forefront of the green building industry since its inception in 2007. We are dedicated to consistently improving how we serve the environment and our clients. From the recycled and renewable raw ingredients we use to create our products, to the solar power we harness to manufacture, we are proud to offer holistically sustainable building products.

A full-page background image of a dense bamboo forest with tall, green stalks and sunlight filtering through the canopy.

Holistically sustainable building products, from a globally reputable brand



Featured: **Infinity IS, Caribbean Coral**
Single sided grooved decking and trim fascia

TECHNOLOGIES

Eva-Last has developed a resilient collection of bamboo composite technologies, each with its own unique characteristics and set of benefits. These versatile materials can be used in a variety of applications such as decking, cladding, screening, and railing.



Apex[®]

CAPPED BAMBOO FOAMED-PVC COMPOSITE

The Apex range boasts an exceptionally natural looking dual-tone finish and is also available in reinforced Apex PLUS for increased strength.



Infinity[®]

CAPPED BAMBOO COMPOSITE

Infinity leads the Eva-Last technology range in durability with a resilient polymer capping, and bamboo composite core.



Eva-tech[®]

BAMBOO COMPOSITE

Eva-tech, the time-tested original Eva-Last range, is the most cost-effective bamboo composite available.





BAMBOO COMPOSITE DECKING

Featured: Infinity IS, Caribbean Coral & Mossel Bay Grey
Single sided grooved and square edge decking

Apex[®]

LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE

Apex offers you a resilient and natural looking composite. Its ultra-lightweight bamboo foamed-PVC core makes for easy installation and workability. Apex carries both fire and slip resistance ratings and exceptional low maintenance, requiring only basic cleaning for optimal longevity. Its protective cap is made from a resilient acrylic polymer coating for fade, scratch, and stain resistance. Apex provides long-term decay and weather protection by resisting insects, moisture, and the elements. Apex is an eco-friendly alternative to timber that prevents deforestation and premature deck replacement and uses solar power within the manufacturing process.



PRODUCT COMPOSITION

Apex[®]

Apex products are lightweight thanks to their foamed bamboo-PVC composite core which is protected from the elements by a resilient acrylic polymer capping.



Capping material:
Engineered acrylic polymer

Core material:
Bamboo foamed-PVC composite



FSC certified bamboo composite product



**EUROCLASS B_{fl} - s1
FIRE RATED**





TAKE HOME THE BENEFITS



NATURAL AESTHETIC

Advanced technology for more natural looking composite



LIGHTWEIGHT

Ultra-lightweight bamboo-PVC core



FIRE RESISTANT

Euroclass B_{f1} - s1 fire rated



SLIP RESISTANT

Reliable slip resistance properties



LOW-MAINTENANCE

Only basic care required for optimal longevity



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



DECAY RESISTANT

Resists insects, moisture, & weather



ECO-FRIENDLY

Long-lasting & prevents deforestation


LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE



140 x 24 mm
Grooved both sides




140 x 24 mm
Grooved one side



Sculpted grain finish



Sculpted grain finish



GROOVED BOARD

The Apex single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

Dimensions	140 x 24 mm (4.8 m lengths)
Weight	2.5 kg/m
Recommended joist spacing	300 mm centre to centre

STARTER BOARD

The Apex single sided starter board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stairs. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	140 x 24 mm
Weight	2.5 kg/m
Recommended joist spacing	300 mm centre to centre

Grooved board



S-Series

Grooved edge fasteners

Compatible with S-Series hidden clip and screw

Starter board



Square edge fasteners

Uses HULK composite top fixing screws on non-grooved edges



S-Series

Grooved edge fasteners

Compatible with S-Series hidden clip and screw



Featured: **Apex, Silver Birch**
Single sided grooved composite decking




LIGHTWEIGHT, CAPPED BAMBOO-PVC COMPOSITE



190 x 24 mm
Grooved both sides



Sculpted grain finish



GROOVED BOARD

The Apex XL single sided grooved board is a wide profile that installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

Dimensions	190 x 24 mm (4.8 m lengths)
Weight	3.4 kg/m
Recommended joist spacing	350 mm centre to centre

Grooved board



S-Series

Grooved edge fasteners

Compatible with S-Series hidden clip and screw



190 x 24 mm
Rectangular profile



Sculpted grain finish



SQUARE EDGE BOARD

The Apex XL single sided square edge board is a wide profile that is as versatile as it is durable, ideal for decking, deck and stair edges, and for use as attractive cladding or screening, and is fastened by top fixing HULK colour matching screws.

Dimensions	190 x 24 mm (4.8 m lengths)
Weight	3.5 kg/m
Recommended joist spacing	350 mm centre to centre

Square edge board



Square edge fasteners

Uses HULK composite top fixing screws



Featured: **Apex, Silver Birch**
Single sided grooved and square edge decking




Apex[®]




LIGHTWEIGHT, CAPPED BAMBOO-PVC



150 x 12 mm
Rectangular profile




Sculpted grain finish



AMARILLO OAK



SILVER BIRCH



CARBONISED CEDAR

FASCIA BOARDS

Apex fascia boards are non-load bearing profiles that help to add a neat finish to deck sides or areas where trim is needed. They are fastened using colour matching HULK top fixing composite trim screws.

Dimensions	150 x 12 mm (2.2 m lengths)
Weight	1.4 kg/m
Recommended joist spacing	300 mm centre to centre* *Based on non-load bearing vertical applications only

Fascia board



Fascia trim fasteners

Uses HULK composite trim screws







Apex[®]

APEX DUAL TONE COLOUR GUIDE


The dual tone range of Apex and Apex PLUS adds an extra layer of colour to each board to enhance the natural look of your composite project. The variance in shades within a single composite profile beautifully showcases the colour tones found in timber making your composite all the more striking. Dual tone colours are ideal for mid-to-large-scale composite decks and projects or other areas that are all about that natural look.



Sculpted grain finish




Featured: Apex, Amarillo Oak
Single sided grooved composite decking



AMARILLO OAK



SILVER BIRCH



CARBONISED CEDAR

Note: To find out which colours are available in your region, please visit your local Eva-Last website.

Apex[®]



BAMBOO-PVC COMPOSITE JOIST



40 x 30 mm
Rectangular joist

FOAMED COMPOSITE JOIST

Apex foamed composite joists are a non-load bearing, cost-effective option for use over existing slabs such as screed, or tiled flooring, paving, and patios. Compared to standard deck installations, they are quick to install, requiring no posts or any other supporting structure.

Dimensions	40 x 30 mm
Weight	1.6 kg/m
Colour	Dark grey



Fasteners

Lay spacers between the joist and the installation surface and then nail in anchors.





Featured: **Apex, Amarillo Oak**
Single sided grooved composite decking



Infinity[®] IS

LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING

Infinity IS combines all the benefits of durable Infinity bamboo composite with the advantages of I-Series to give you a durable co-extruded composite offering low maintenance, and an advanced resilient polymer cap for protection against scratches, fading, moisture issues, decay, and weather, as well as stain and slip resistance. With Infinity IS specialised streaked colour variation technology you can enjoy the look of timber in an environmentally friendly bamboo composite. The revolutionary I-beam design creates a cost-effective, lightweight board that uses less material, yet maintains span capabilities, strength, and stiffness for a more efficient installation. This improved environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.



PRODUCT COMPOSITION



Infinity bamboo composite decking adds value and good looks to your outdoor space and to your lifestyle by giving you steadfast decking that lasts for decades.




(P) PATENTED TECHNOLOGY

Capping material:
Engineered polymer

Core material:
Bamboo PE composite



FSC certified bamboo composite product





TAKE HOME THE BENEFITS



DURABLE

One of the toughest co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



LOW-MAINTENANCE

Only basic care required for optimal longevity



DECAY RESISTANT

Resists insects, moisture, & weather



STAIN RESISTANT

Built-in protection against stains



SLIP RESISTANT

Reliable anti-slip protection



NATURAL LOOK

Specialised streaked colour technology



ECO-FRIENDLY

Sustainable manufacturing & use of raw material

INFINITY® IS ADDED BENEFITS

Infinity® IS decking has an optimised design that's more versatile and more cost-effective.



COST-EFFECTIVE

Smart shape saves on transport & installation



LIGHTWEIGHT

I-beam design is lighter by using less material



SPAN

Span capability of heavier boards



INSTALLATION

Easier and more efficient installation

LIGHTWEIGHT, CAPPED BAMBOO COMPOSITE DECKING




135 x 25.4 mm
Grooved both sides



135 x 25.4 mm
Grooved one side



Sculpted grain finish



Sculpted grain finish



GROOVED BOARD

The Infinity IS single sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create a neat uninterrupted final look.

Dimensions	135 x 25.4 mm (4.8 m lengths)
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

Square edge board



S-Series

Grooved edge fasteners

Compatible with S-Series hidden clip and screw

STARTER BOARD

The Infinity IS single sided starter deck board offers one grooved edge and one solid edge, making it perfect for deck perimeters, picture framing decks, and creating stair edges. It fastens with a combination of HULK hidden fasteners and colour matched HULK composite decking screws.

Dimensions	135 x 25.4 mm (4.8 m lengths)
Weight	2.7 kg/m
Recommended joist spacing	400 mm centre to centre

Starter board



Square edge fasteners


Uses HULK composite top fixing screws on non-grooved edges

Grooved edge fasteners


Compatible with S-Series hidden clip and screw



S-Series



Featured: **Infinity, Tiger Cove**
Single sided I-Series grooved decking



Infinity[®] HD

CAPPED BAMBOO COMPOSITE DECKING

Infinity bamboo composite is the ultimate in durability and one of the toughest co-extruded composite decking ranges available. Its resilient protective cap made of an advanced polymer resists scratches, fade, mould, and mildew, and makes Infinity exceptionally low maintenance, with only the most basic cleaning required for optimal longevity. Infinity offers decay and weather resistance with top protection from insects and harsh weather. Its streaked colour variation provides a natural look that embodies the essence of timber. Enjoy the stain and slip resistance of this environmentally friendly alternative to timber, which is holistically sustainable from its manufacturing to its use of raw material.

PRODUCT COMPOSITION



The Infinity[®] HD is a reversible, double sided board offering two distinct wood texture finishes, with a Sculpted Grain and Driftwood timber effect.



Capping material:

Engineered polymer

Core material:

High density bamboo composite



FSC certified bamboo composite product





TAKE HOME THE BENEFITS



DURABLE

One of the toughest co-extruded composites



PROTECTIVE CAP

Fade, scratch, & stain resistant capping technology



LOW-MAINTENANCE

Only basic care required for optimal longevity



DECAY RESISTANT

Resists insects, moisture, & weather



STAIN RESISTANT

Built-in protection against stains



SLIP RESISTANT

Reliable anti-slip protection



NATURAL LOOK

Specialised streaked colour technology



ECO-FRIENDLY

Sustainable manufacturing & use of raw material

CAPPED BAMBOO COMPOSITE DECKING



140 x 20 mm
Grooved both sides




140 x 20 mm
Rectangular profile




Sculpted grain





Driftwood



Sculpted grain



Driftwood



GROOVED BOARD

The Infinity double sided grooved board installs efficiently and securely with HULK hidden fastener clips which slot into the grooves along the edges of the board and create an uninterrupted final look.

SQUARE EDGE BOARD

The Infinity double sided square edge board is as versatile as it is durable, ideal for decking, deck and stair edges, and for use as attractive cladding or screening, and is fastened by top fixing HULK colour matching composite decking screws.

Dimensions	140 x 20 mm (4.8 m lengths)
Weight	3.3 kg/m
Recommended joist spacing	300 mm centre to centre

Dimensions	140 x 20 mm (4.8 m lengths)
Weight	4.0 kg/m
Recommended joist spacing	300 mm centre to centre

Grooved board



S-Series



Grooved edge fasteners

Compatible with S-Series hidden clip and screw

Square edge board



Square edge fasteners

Uses HULK composite top fixing screws



Featured: **Infinity, Tiger Cove**
Double sided grooved and square edge decking






CAPPED BAMBOO COMPOSITE DECKING




150 x 12 mm
Rectangular profile



Sculpted grain finish




Brushed softwood finish




RUSTIC OAK



PEWTER



TIGER COVE



MOSSSEL BAY GREY

FASCIA BOARD

Infinity fascia boards are non-load bearing profiles that add a neat finish to deck edges or areas where trim is needed. They are neatly fastened by top fixing colour matching HULK composite trim screws.

Dimensions	150 x 12 mm (2.2 m lengths) Double sided; Brushed softwood Sculpted grain
Weight	2.3 kg/m
Recommended joist spacing	400 mm centre to centre* *Based on non-load bearing vertical applications only

Fascia boards



Fascia trim fasteners

Uses HULK composite trim screws





Featured: **Infinity IS, Tiger Cove**
Single sided grooved and square edge decking





Infinity[®]

INFINITY FINISH & COLOUR GUIDE

The Infinity range is designed to enhance the beauty and liveability of your outdoor area. Infinity composite offers incredibly natural-looking colours thanks to its advanced colour technology which gives each board unique colour variation to embody the essence of timber. Enjoy the beauty of wood with the benefits of composite.

SURFACE FINISHES



Sculpted grain






Driftwood
(Infinity HD only)





Brushed softwood
(Fascia only)



SCULPTED GRAIN (Decking & fascia profiles)



DRIFTWOOD (Double sided Infinity HD decking only)





BAMBOO COMPOSITE DECKING

Eva-tech is a cost-effective, uncapped bamboo composite product. It offers slip resistance for a safer, more beautiful outdoor space and is a low-maintenance alternative to timber. Create the look of natural wood without the constant upkeep. Its reliable durability is long-lasting, and its decay and weather resistance provides protection from insects and harsh weather. This environmentally friendly composite is holistically sustainable from its manufacturing to its use of raw material.

PRODUCT COMPOSITION

Design an outdoor space that's more inspiring and more inviting with Eva-tech bamboo composite, the original classic & modern, composite brand by Eva-Last.



(P) PATENTED TECHNOLOGY


Core & surface material:

Bamboo PE composite



FSC certified bamboo composite product

Eva-tech I-Series is only available at Wickes





TAKE HOME THE BENEFITS



COST-EFFECTIVE

Cost-effective bamboo composite material



SLIP RESISTANT

Reliable anti-slip protection



LOW-MAINTENANCE

Only basic care required for optimal longevity



DURABLE

Long-lasting & reliable



DECAY RESISTANT

Resists insects, moisture, & weather




ECO-FRIENDLY

Sustainable manufacturing & use of raw material

BAMBOO COMPOSITE DECK TILES



WYDE FINISH



Dimensions	300 x 400 mm
Colours	Aruna (brown) and Xavia (grey)

DECK TILE

Eva-tech deck tiles offer the renowned cost-effective resiliency of Eva-tech bamboo composite in a convenient square tile, designed for easy installation. These tiles add an immediate upgrade to your home or commercial outdoor area by transforming a flat screed, such as a cement slab or ceramic tiled surface, into an attractive, weather resistant, and highly liveable patio area. Eva-tech deck tiles snap together to create an outdoor destination for family gatherings or quiet moments of reflection at the end of the day. Choose from the rich Aruna brown colour or classic Xavia grey, both available in the sleek wyde grooved finish.





ADVANCED BAMBOO COMPOSITE CLADDING

The VistaClad lightweight bamboo composite cladding system is revolutionising how cladding works with an innovative clip strip which locks boards into place using reliable dual spring technology. VistaClad is available in a range of colours and finishes, with trim and accessories, as a complete cladding system, designed for ease of installation. Backed by an industry-leading warranty, this low-maintenance, weather-resistant cladding is a smart, cost-efficient investment in your project, and a sustainable investment in our planet.



VISTA CLAD SYSTEM COMPONENTS

The VistaClad system combines Eva-Last composite technologies with an innovative installation process to provide a robust and convenient cladding solution. The resultant hidden fixing generates an unblemished finish and avoids the limitations or inconvenience of fastening through composite.



Composite Cladding Boards



Clip Strip



Apaptors & Trim Profiles

CUTTING-EDGE SUSTAINABLE CLADDING

VistaClad bamboo composite cladding breathes vibrancy into your home or office space and enhances your walls with the attractive look of hardwoods. Let routine maintenance and premature replacement be things of the past as you look to the future with one of the most cutting-edge, and durable cladding products available. VistaClad is available in a selection of natural looking colours and comes with a complementary trim solution for a neat and tidy finish.



TAKE HOME THE BENEFITS



CLIP LOCK DESIGN

Boards securely click & lock into place to withstand strong winds



COMPLETE CLADDING SOLUTION

Innovative system with concealed fastening & trim for a finished look



LIGHTWEIGHT

Smart system engineered for lighter weight & better airflow



VENTILATED & INSULATED

Design allows for system ventilation & natural insulation



LOW-MAINTENANCE

Ideal for large-scale projects & application at height



DECAY RESISTANT

Resists biodegradation, corrosion, insects, UV, & harsh weather



COST-EFFECTIVE SYSTEM

Save on fast, simplified installation & overall upkeep




ECO-FRIENDLY

Sustainable manufacturing & use of raw materials



BAMBOO COMPOSITE PROFILES

VistaClad cladding boards are available in Apex and Infinity bamboo composite material technologies, designed for long-lasting weather resistance, including protection against insects, moisture, and fading. The tongue and groove profile design interlocks the boards, supplying system tolerance whilst improving load distribution and reduction of moisture ingress.



Apex[®]



APEX BAMBOO FOAMED-PVC CLADDING

Cross section	Product description	Dimensions	Coverage	Mass
	Standard (Apex)	163 x 20.5 mm (4.8 m lengths)	6.6 m ²	1.5 kg/m



Infinity[®]



INFINITY BAMBOO COMPOSITE CLADDING

Cross section	Product description	Dimensions	Coverage width	Mass
	Standard (Infinity)	163 x 20.5 mm (4.8 m lengths)	6.6 m ²	2.0 kg/m



Featured: VistaClad, Infinity, Tiger Cove
VistaClad cladding system



Available in

Apex[®]

BAMBOO-PVC CLADDING MATERIAL



Capping material:

Engineered acrylic polymer

Core material:

Bamboo foamed-PVC composite



FSC certified bamboo composite product



Sculpted grain finish

VISTA CLAD CLADDING IN APEX BAMBOO-PVC COMPOSITE

VistaClad is available in Apex bamboo-PVC composite. Backed by a 30-year warranty, Apex lightweight, capped composite is an ideal cladding material. The dual colour finish of Apex provides an exceptionally natural looking composite which embodies the essence of timber in a range of nuanced shades to complement your overall project. Install this environmentally friendly, low-maintenance cladding vertically or horizontally to suit your style.




VISTA CLAD IN APEX DUAL TONE COLOUR TECHNOLOGY

The Apex dual tone colour range offers a sculpted grain finish for more natural looking cladding. Each cladding board has an extra layer of colour added to create the subtle variances found in timber. The sculpted grain finish produces a texture that embodies the look of wood to give your exterior walls the beauty of timber cladding in a more resilient, low-maintenance, and eco-friendly composite option.



COLOUR RANGE: SCULPTED GRAIN FINISH

TECHNOLOGY: **Apex**[®]





VistaClad™
Cladding inspired by nature

Available in

Infinity®

BAMBOO COMPOSITE CLADDING MATERIAL



Capping material:

Engineered polymer

Core material:

Bamboo PE composite



Brushed softwood finish



FSC certified bamboo composite product

VISTA CLAD CLADDING IN INFINITY BAMBOO COMPOSITE

VistaClad cladding boards in Infinity co-extruded capped bamboo composite offer exceptional durability. The hardy bamboo PE (polyethylene) composite core is wrapped in a robustly engineered polymer cap for a resilient composite. Infinity offers a low-maintenance, eco-friendly alternative to conventional cladding in a selection of natural finishes. Enjoy its resistance features, such as protection against scratches, fading, moisture, insects, and weather, all backed by a 25-year warranty.




VISTA CLAD IN INFINITY STREAKED COLOUR TECHNOLOGY

The Infinity colour range offers specialised streaked colour technology to ensure that no two cladding boards are identical and to give your exterior walls the look of natural timber cladding. The brushed finish applied to the VistaClad Infinity cladding boards further enhances the natural tones, allowing you to enjoy the look of timber cladding in a more durable, hassle-free, and sustainable bamboo composite.

COLOUR RANGE: BRUSHED SOFTWOOD FINISH

TECHNOLOGY: *Infinity*[®]





THE CLIP STRIP

The VistaClad clip strip uses a punched spring design that allows the cladding boards to be easily and securely clicked into place. The epoxy-coated, zinc-galvanised clip strip profile provides flexibility in application and allows for optimal ventilation and drainage.

The dual spring-loaded clip creates a rigid hold and locks the boards in place.




FLAT CLIP STRIP

The flat clip strip is fitted directly to the wall substrate or frame. As a result, this solution provides the smallest ventilation/drainage cavity and fixing can only be done through the face of the clip strip.

Dimensions	40 x 11.7 mm (1.8 m lengths)
Weight	0.4 kg/m



NYLON ADAPTORS




Top & bottom adaptor

Side adaptor

Internal corner adaptor

External corner adaptor

ALUMINIUM TRIM PROFILES



Universal trim profile

T trim profile

Minimal U trim profile

Internal corner trim profile

External corner trim profile

TRIM APPLICATIONS

Trim accessories hide the structure for a neat final look and can be installed using sealing strips to improve the weather resistance of the cladding surface. The clip strip allows for easy guided placement of the adaptors and the universal trims may be used with VistaClad or any cladding boards with a thickness of 20.5 to 26.5 mm.



Top, bottom and side adaptors with universal trim profile

Side adaptor with T trim profile

Side adaptor with minimal U trim profile

Internal corner adaptor with internal corner trim profile

External corner adaptor with external corner trim profile

Top and bottom and edge applications

Butt join applications

External & internal corner applications

Window applications

RAPIDRAIL™


INTEGRATED RAILING SYSTEM

INTEGRATED COMPOSITE RAILING SYSTEMS

RapidRail eco-friendly composite railing offers long-lasting reliability and safety, and is designed to work with a variety of decking materials and accessories. As its name suggests, RapidRail installs rapidly and easily using smart configurations which reduce the number of connections required. Available in Infinity composite technology by Eva-Last, RapidRail offers protection from insects, moisture issues, decay, and harsh weather.

SAFER, STRONGER, STUNNING RAILING

RapidRail combines safety and artistry for a composite railing system that makes your space more functional, more secure, more appealing, and virtually maintenance free. Make your deck a truly liveable space with innovative railing that provides a strong sense of security and promotes a more hassle-free way of life.





TAKE HOME THE BENEFITS

Infinity[®]



LOW MAINTENANCE

Requires only the most basic of cleaning for optimal longevity



MOISTURE RESISTANT

Protection from mould, mildew, rot, & other moisture issues



INSECT RESISTANT

Protection from damage caused by termites & other insects



RAPID & EASY INSTALLATION

Designed for precise, efficient, & cost-effective installation



FULLY CUSTOMISABLE

Compatible with other railing styles & materials



ECO-FRIENDLY

Holistically sustainable manufacturing & use of raw materials



RAPIDRAIL FINISH

Brushed Soft Wood




INFINITY CAPPED BAMBOO COMPOSITE RAILING

RapidRail balustrades are available in Infinity composite technology by Eva-Last. The bold black colour is thoughtfully created with an advanced protective capping technology to allow for an impressive aesthetic appeal along with the benefit of Infinity's ultra durable and low-maintenance characteristics.

Dimensions

Post height	1180 mm
Length	1806 mm
	Note: Matching post caps and skirting available






HULK FASTENERS™

RELIABLE DECKING FASTENER SYSTEMS

HULK Fasteners are purposefully designed to make composite or timber decking installations more efficient and straightforward by providing highly durable hidden fastener options that fit neatly into the edges of grooved boards, as well as a range of colour matching top fixing screws. These fasteners are created to match the warranties of the leading composite decking boards on the market, and are available in a range of colours to complement the look of your decking of choice.



DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

HULK Fasteners offer higher performance and are a more efficient and subtle way to secure your decking and trim boards without disrupting its final look.


HULK Fasteners hidden clips

Eva-Last recommends HULK Fasteners decking clips to provide a reliable long-lasting hold for composite decking boards. Both the S-Series (S6 and S9) and Chain hidden clip systems by HULK provide a neat and discreet fastening option for a flawless finished surface. Packs and starter kits include a drill bit and one screw per clip.





HULK composite top fixing screws

Colour matching composite decking and trim screws are used for top fixing non-grooved and fascia or deck trim profiles to metal or timber frames, providing an invisible finish.



- 1 Hidden Clip & Clip Screw
- 2 Composite Decking Screw (CDS) for timber frames or Metal Decking Screw (MDS) for metal frames
- 3 Composite Trim Screw for timber frames or Metal Trim Screw for metal frames




FASTENED. FOR LIFE.



Corrosion
Resistant



Colour Matched
Aesthetic



Neat Surface
Finish



Fast and Easy
Installation



No Pre-drilling
Required

S-SERIES CLIP

Eva-Last created the S-Series (Halo) clip in 2010, designed to match the life expectancy and durability of Eva-Last composite decking materials. This product laid the foundation for the hidden fastener: no more protruding screws, no more ruined finishes, no more untidy aesthetics.

S-SERIES HIDDEN DECKING CLIPS



S6 CLIP

Use for fastening grooved deck boards with a foot height of approximately 6 mm; compatible with metal and timber clip screws



S9 CLIP

Use for fastening grooved deck boards with a foot height of approximately 9 mm; compatible with metal and timber clip screws

CLIP SCREWS

METAL CLIP SCREW



CS
CARBON
STEEL
C1022

Designed to fasten HULK hidden deck clips onto metal frames without having to pre-drill (on metal frames 2 mm thick or less)

COMPATIBLE WITH S-SERIES CLIP AND USED WITH CHAIN COLLATED CLIP



TIMBER CLIP SCREW




SS
STAINLESS
STEEL
SS316



For fastening HULK hidden deck clips onto timber frames without having to pre-drill

CS
CARBON
STEEL
C1022

COMPATIBLE WITH S-SERIES CLIP AND USED WITH CHAIN COLLATED CLIP



Key features of HULK hidden clip screws:

1. The pan head works perfectly with HULK clips (S-Series and Chain collated clip).
2. The flat bottom shape of the screw is designed to rest securely on top of the HULK clips, preventing movement and damage.
3. The thread and shaft work seamlessly with the substructure and HULK clip.
4. The tip of the clip screws and top fixing screws are the same, making them highly versatile.
5. Both HULK clips and clip screws are dark in colour, camouflaging them between deck boards.



S-SERIES clip and screw combo packs



Standalone clip packs



Standalone screw packs

STARTER KITS



5 m² HULK STARTER KIT

- S6** 125 Stainless steel clip screws
115 Stainless steel Halo clips
10 Stainless steel starter clips
1 Drill bit

- S9** 90 Stainless steel clip screws
90 Stainless steel Halo clips
1 Drill bit



EXPANSION KITS



10 m² HULK EXPANSION KIT

- S6** 250 Stainless steel clip screws
250 Stainless steel Halo clips
1 Drill bit

- S9** 180 Stainless steel clip screws
180 Stainless steel Halo clips
1 Drill bit



75 COMPOSITE DECK & COMPOSITE TRIM SCREWS



75 TOP FIXING SCREWS

- 75 Stainless steel composite DECK and/or TRIM screws
1 Drill bit



Recommended for use with all Eva-Last® installations, HULK composite deck and trim screws are available for timber and metal frames

tier™

Fabulous, functional, forever.

MORE THAN *just beauty*

Embrace the look of natural timber floors with the benefit of a more resilient offering that is designed to handle all life's mishaps, at home or in the office. Enjoy a softer, quieter floor underfoot that offers a beautiful aesthetic, whilst also being an environmentally friendly product choice letting you rest easy in the knowledge that you are doing your part to preserve the planet for future generations.

BENEFITS

LOVE *your floors*



HEAT
RESISTANT



STABLE



WATER
RESISTANT



SOUND
SUPPRESSION



CLICK
INSTALLATION




ANTIMICROBIAL
PROTECTION



VOC FREE

TIER luxury flooring provides the beauty of wood in a Stone Polymer Composite (SPC) that is heat resistant, making it stable and ensuring no movement over time. Its water resistant click installation system prevents moisture ingress and the IXPE underlayer ensures sound suppression and a softer feeling underfoot. TIER is a cleaner, safer flooring option thanks to its VOC free manufacturing and natural antimicrobial features. TIER elevates the functionality and style of your indoor space.




For more information on TIER visit www.eva-last.com



TIERS OF TIER

LUXURY SPC INDOOR FLOORING

With CarbideCore technology



WEAR LAYER

UV, scratch and slip resistant

PRINT LAYER

Photorealistic print technology

CARBIDECORE

Manufactured with solar energy

SOFT INSULATING FOAM

Reduces noise and allows for a softer underfoot feeling



MADE WITH SOLAR ENERGY

TIER™ flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and brings you peace of mind.



EUROCLASS B_{fl} - s1 FIRE RATED

TIER™ flooring is Euroclass B_{fl} - s1 fire rated, making it a safer and more reliable product for your residential or commercial application.

APPLICATIONS

FLOORING


to love and live on

TIER is designed for versatility as well as durability. TIER can be installed in any room in your house or commercial space. Let the attractive, low-maintenance, and high-performance features of TIER enhance the appeal of your home or business.




EASY INSTALLATION

Installing the TIER tongue-and-groove I4F profile is quick and easy, thanks to the simplified click installation system that creates a watertight, seamless finish. For more details visit www.tierflooring.com and download the care and installation guide.



TIER flooring is expertly engineered to elevate the functionality and aesthetics of your indoor space. With TIER, your flooring can be both practical and elegant. TIER is available in a convenient tongue-and-groove “click” profile. The click system TIER profile allows you to easily slide and click boards into one another to create a secure, continuous flooring surface. This rigid, floating system comes standard with a pre-applied foam underlay backing making the finished surface a pleasure to walk and live on.





COLOURS AND STYLES

SPC wood textures

TIER flooring is designed to be beautiful and functional. TIER is available in a wide range of natural colours and tones that embody the look of wooden flooring, without the maintenance hassle or environmental impact. Engineered to last and tastefully designed, TIER will enhance the look and functionality of your home or commercial space. Choose from our many style and colour options to make your floors a stand out feature.

IN STOCK COLOURS




Country Oak



Sapphire Oak

NON-STOCK COLOURS


Can be ordered upon request




Reclaimed barn fir



Reclaimed fir steel



Washed oak pecan



Polished hickory olive

SPECIFICATIONS: 4.7 mm THICKNESS

Core thickness	Dimensions	Boards per box
3.20 mm	181 x 1 220 mm	12
Underlay thickness	Thickness	Mass per board
1.00 mm	4.70 mm	1.52 kg
Wear layer thickness	Per board	Per box
0.50 mm	0.22 m ²	2.64 m ²
Wear layer type	Click system	
Engineered polymer	4-sided micro bevel (I4F click)	

WARRANTY CLASSES

Light Industrial	Heavy Commercial	Heavy Domestic
Abrasion class*	Abrasion class*	Abrasion class*
AC5	AC5	AC5
Use class**	Use class**	Use class**
23	33	42

*As defined in BS EN 13329

**As defined in BS EN ISO 10582



“Flooring boards” for floors – and walls

TIER™ makes for an exceptionally barefoot friendly floor. However, it can also be used as a showstopping, protective wall covering. Boards can be installed as a floor, or tiled onto a wall, with a similar result to a ceramic tile. TIER™ offers an elegant appeal for kitchen, bathroom and even bedroom walls, and works great as simple DIY installation solution.



TIER™ profiles are durable, low-maintenance, handsome boards that add class to your floors and walls. Enjoy horizontal and vertical applications that take full advantage of the beauty, resiliency and versatility of TIER™.

TIER™ is premium quality rigid core flooring from start to finish - and from top to bottom. The interior CarbideCore™ layer is a cutting-edge extruded composite of powdered minerals and vinyl which is extremely rigid and resilient. This specialised core material can tolerate temperatures of up to 80°C (176°F) without any adverse effects and is highly resistant to moisture absorption.

The precision of TIER™ flooring, when installed using the tongue-and-groove option, forms a snug, watertight fit. This keeps messes and spills from penetrating beneath the flooring, and protects your floors or walls from ever swelling, warping or buckling.



LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials

CHOOSE SUSTAINABLE BUILDING MATERIALS



RENEWABLE RESOURCES & RENEWABLE ENERGY

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products use solar power as part of our manufacturing process. We are fully committed to bringing you a product that's holistically sustainable.

Every Eva-Last outdoor range pairs recycled raw ingredients with bamboo for a stronger, more sustainable composite. Bamboo rejuvenates over 30 times faster than traditional hardwoods and it releases 35% more oxygen into our air. Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No treatment or toxic chemicals required for maintenance
- Solar power used in the manufacturing process
- Reduced impact on landfills
- Reduced carbon footprint



BSW
Timber Solutions

BSWGROUP member of binderholz

sales@bswtimbersolutions.co.uk

England & Wales

Tel: 01938 554 999

Scotland

Tel: 01236 454 916

www.eva-last.co.uk

EVA-LAST[®]
INSPIRED BY NATURE, DESIGNED FOR LIFE.

